

BBC Attorney	\$ 3,444.14	Monthly attorney fee
Baker Tilly	\$ 2,003.00	Monthly accounting fee
Wildman	\$ 66.83	Monthly office supplies/services
Northern IN Wildlife	\$ 675.00	Monthly trapper fee
HML	\$ 40.00	Monthly lake E-Coli test
Proscapes Unlimited	\$ 2,625.00	Sprayed for weeds
Arlene Diericks	\$ 35.00	Sold home
Boyce/Keystone	\$ 3,460.00	Annual software license renewal
Pilot News Group	\$ 38.00	Annual newspaper fee
Flow-Tech	\$ 6,825.00	South lagoon survey
Flow-Tech	\$ 1,762.75	Replaced transducer at 'J' liftstation

Vice Chairman Collura made a motion to approve the bills as presented noting each payee, the dollar amounts, and purpose were read into the July 11, 2022 minutes, Director Broadstreet seconded. Motion carried.

Plant Manager’s Report—Plant Manager Jordan reported that there was 2.12 inches of precipitation for June and the lake pump pumped 38 million gallons into the lake. Plant Manager Jordan presented to the Board a pond survey report that was done June 7 by Flow-Tech. Plant Manager Jordan will let the Board know what Flow-Tech suggests on what can be done if anything since the report shows the ponds are in good condition. Plant Manager Jordan stated that the new light is installed at ‘J’ liftstation but not at the lake pump yet. Plant Manager Jordan let the Board know that the generators and fences are up at the liftstations K, I, and H. Plant Manager Jordan mentioned that the survey with Territorial is now up to liftstation H.

District Office Coordinator’s Comments—Office Coordinator Dillner was absent.

Attorney’s Comments— Attorney Bartholomew stated that he would file the reports with the courts within the next 30 days. He requested that Office Coordinator Dillner send him this past years approved minutes and financials.

Comments from the Board—Director Broadstreet stated that he talked to DNR and they allow Aquatic Control to spray for one acre of purple loosestrife and three acres of phragmites in July. Aquatic Control will let us know when that will take place. DNR also stated that in front of the weir by the public launch that no cattails will be taken out since native vegetation is good for the lake and shoreline as it is holding/stabilizing the sand bank back from eroding even more, filtering the nutrients, and providing structure for fish and wildlife to thrive. Director Blais stated that DNR came out to work on the public launch by adding safety reflectors along the ditch and cleaning up and will be out again soon to add more gravel. Vice Chairman Larry Collura requested that Plant Manager Jordan look into the trailer parked at 4276 S. CR 210 to see if it has it’s permit.

Comments from the Audience—The audience had nothing additional to add.

Director Blais made a motion to adjourn the meeting, Vice Chairman Larry Collura seconded. Motion carried. The next meeting will be August 8, 2022 at 6:00 p.m. at the BLPOA building for regularly scheduled meeting.